




KARIMULLA
GROUP

STAR™

F | E | N | C | E

Your Rakshana Rekha



Sl. No.	Particulars	Page No.
01	About Us	01
02	Starfence G.I. Wire	02
03	Starfence Barbed Wire	03
04	Starfence G.I. Chain Link Mesh	04
05	PVC Wire & PVC Chain Link	05
06	Conertina Wire	06
07	Starfence Power Fencing Wire	07
08	Our Firm Loyal Customers	08





About Us

We started G.I wires Business in the Year 1980 in all range of G.I Wire Products and we are the First manufacturing unit of G.I Wire & G.I Wire Products in entire Costal Andhra Pradesh at the time. We are also the first person to use HOT Dip Wire instead of Cold Dip Wire to enhance the long life of our product. We are the market leaders of G.I Wires Since 90's.

In 2000, by identifying our market Range, Name and Fame, TATA STEEL has given us the Distribution of **TATA Wiron** Products for entire Andhra Pradesh. Now in 2019 to give more quality products we decided to offer G.I wire products to our customers in our own Brand Name 'STARFENCE' with High GSM's in Economic Price with Double Durable Life compared to any other material available in the market. We have also adopted certain innovative steps in renovating with all the latest Automatic Machines for manufacturing Barbed Wire and Chain Link Mesh products.

Our zero compromise towards quality build our produt strong and that makes us always on the **Top of Best list.**

For this, we have chosen a special care while manufacturing of G.I wire by giving our own formula like from choosing the origin of Wire rod Coil, Maintaining Uniform Dia with High Coating Zinc, Using 99.99% of Zinc Purity from Hindustan Zinc Ltd, Accurate in MM, Tensile Strength, Wire Surface Condition and few more Special Care we took in all technical aspects as per IS standards.

Thus, we assure our customers that we are giving our G.I Wire Products at very Best Quality with Double Durable Life in affordable price.



STARFENCE G.I. Wire

STARTM
F | E | N | C | E
Your Rakshana Rekha



STARFENCE G.I Wire

G.I wire means Galvanized Iron wire. The process of applying a protective zinc coating on Wire to prevent rusting is called hot dip galvanization. Hot dip GI wire has better corrosion resistance properties than compared to electroplated GI wire. The GI wire diameter/thickness is measured in SWG (standard wire gauge) which is used for all fencing purposes.

Availability of Sizes

We offer the wire in various sizes including 4MM/8 Gauge, 3MM/10 Gauge, 2.5MM/12 Gauge, 2MM/14 Gauge and 1.6 MM/16 Gauge as per your requirement.

For identification of original STARFENCE G.I wire, you can see the print "Starfence" on the wire for every one meter.

In Gauge	In MM	Feet / Kg.	Mtr / Kg.
8	4.00	33	10
10	3.00	53	16
12	2.50	86	26
14	2.00	132	40
16	1.60	208	63

Note : All above measurements are approximately measured.

How can I decide the life of GI Wire ?

Life of G.I Wire can be said by its selection in origin of wire rod, purity of 99.99% Zinc, High Uniform Dia Zinc Coating. All these above mentioned processes, results in the long life of the wire.

Why to choose STARFENCE G.I Wire ?

- ✓ Starfence G.I Wire is specially designed with selected range of all above components. This ensures best quality of the wire and higher its life.
- ✓ When compared to other Branded products available in the market, we offer High quality wire in Economic price.
- ✓ Thus, our premium quality product gives you high satisfaction in all aspects.

Applications of G.I Wires

G.I Wires can be used for many purposes.

Majorly used in Poultry | Vegetable & Fruit Farming | Nurseries | Binding for Fence | Support Wire for Electrical Cable | Bale Packing | Bucket Handles | Drying Cloths | Base Wire for Cable TV Networks and Many more...

Smart Care


Majorly keep distance from Chemical Sprays | Keep it out of Fire.




STARFENCE G.I. Barbed Wire




Model-1




Model-2




Model-3



Model -4



Model -5



STARFENCE Barbed Wire

Barbed wire commonly called as fencing wire and it is the first technology capable of protecting the boundaries of your properties in an Economic way.

Barbed Wire fences are easier to erect when compared to any other alternatives.


Availability of Sizes

We offer the Barbed Wire in two different sizes.

In Guage	In MM	Feet / Kg.	Mtr / Kg.	Each Bundle Pack
12 x 12	2.5 x 2.5	21	6.5	35 Kgs.
12 x 14	2.5 x 2.0	26	8	30 Kgs.

Note : All above measurements and bundle weights are approximately measured.

- 1) 12 x 12 means middle strength wire is in 12 guage and the barbs are also in 12 guage.
- 2) 12 x 14 means middle strength wire is in 12 guage and the barbs are in 14 guage.



Why to choose STARFENCE Barbed Wire ?

For better corrosion resistant Starfence Barbed Wires are made from "Starfence G.I wires" and are specially designed that the distance between each barb is 3" inches as per I.S. Standards and has very sharp edges with all High uniform Zinc Coating in Economic Price.

All the above aspects leads to 30% savings to the customers compare to other products in the market.

Applications of Barbed Wire

Starfence Barbed Wire can be used for many purposes like as a boundary wall for Empty Lands | Agricultural Lands | Gardens | Forest Areas & Many more..

Smart Care

Majorly keep distance from Chemical Sprays | Keep the Creepers away | Make sure that the Binding process is done tightly and maintance some minimum distance from ground level to avoid soon rusting | Keep the Barbed Wire out of fire.

Use 1.6 MM Starfence G.I wire for binding the Barbed Wire to ensure its Rust free.



STARFENCE G.I. Chain Link Mesh

STARTM
F | E | N | C | E
Your Rakshana Rekha



STARFENCE Chain Link Mesh

Chain link is a mesh fence made of thick steel wire having a diamond shaped pattern. Starfence Chain Link is our remarkable product and famous for its affordable price.

Availability of Sizes

Fast moving size - 10 guage | Medium moving size – 8 guage, 12 guage | Less moving size – 14 guage
 Special order or poultry customer's preference – 16 guage

Availability whole sizes – 1 x 1 | 1¼ x 1¼, | 1½ x 1½ - (for 16 guage only)
 2 x 2 | 2½ x 2½ | 3 x 3 | 4 x 4 - (for 8, 10, 12 guages only)

10 Guage/ 3.0 MM	Hole Size			12 Guage/ 2.5 MM	Hole Size			8 Guage/ 4.0 MM	Hole Size			16 Guage/ 1.6 MM	Hole Size		
Height	2	3	4	Height	2	3	4	Height	2	3	4	Height	1	1¼	1½
3 Feet	36	23	19	3 Feet	24	18	13	3 Feet	65	44	30	5 Feet	34	27	21
4 Feet	48	30	25	4 Feet	32	24	16	4 Feet	86	58	40	6 Feet	41	32	25
5 Feet	60	38	31	5 Feet	40	30	20	5 Feet	108	73	50	7 Feet	48	38	29
6 Feet	72	45	38	6 Feet	48	36	25	6 Feet	129	87	60	8 Feet	55	43	33
												10 Feet	68	54	41

Above mentioned weights are approximately calculated for 50 feet length of each bundle.

Why to Choose STARFENCE Chain Link

- ✓ Our Chain Link Mesh is made by our own Starfence brand wire. Thus, technical components are taken care in all aspects.
- ✓ We provide our chain link with accurate hole size.
- ✓ We sell our product only by weight but not in Square feet to make sure a transparent transaction between you and us.
- ✓ Our chain link has 40% More Life Span due to its High Uniform Zinc Coating.
- ✓ Due to its High Coating Zinc in economic price Leads to 20% saving to the consumer.
- ✓ Our Chain Link is made by Advanced Automatic machines, so that we can be able to deliver your order on time with accurate Length and Proper Packing.
- ✓ Thus, our premium Quality product gives you more peace of mind with complete satisfaction in all aspects.

Applications

Parks | Gardens | Poultry Farms | Institutions | Schools | Colleges | Factories | Cattle Farms | Houses | Estates | Public Properties such as Airport Boundaries | Railway Boundaries and Many more.


Smart Care

Majorly keep distance from Chemical Sprays | Keep the Creepers away | Make sure that the Binding process is done Tightly | keep the wire out of fire and maintain some minimum distance from ground level to avoid soon Rusting.



PVC COATED G.I. CHAIN LINK

STARTM
F | E | N | C | E
Your Rakshana Rekha



PVC Wire

Available in a wide range, PVC wires are manufactured under a closely monitored process, designed by experts and tested on strict standards to offer the consistent quality and corrosion resistance to ensure strength and durability.

Variants

By order and on quantity the colours available in Midnight Black | Forest Green | Canary Yellow | Tree Brown and Sailor Blue.

Availability of Sizes

2.6 MM | 3 MM | 4 MM and 5 MM with utmost customization in height and length.

PVC Chain Link

Starfence PVC chain link offers extra protection by shielding the zinc coating from abrasion and prevents the metal from coming in direct contact with the elements. It's an ideal choice in harsh or humid conditions. This PVC coating is as per BS EN 10245-2:2001.

**TOTAL BILLING AMOUNT WILL BE SAME WITH
EXTRA PVC COAT AND WITH EXTRA BEAUTY**

Applications

Vegetation creepers, support wire for Electrical Cable and Cable TV Network | Heavy Rainfall Areas.
Gardens | Airport Boundaries | Parks | Institutions | Drying Cloths | Uneven Terrain
Steep Slopes | Industrial | Residential & Coastal High Rainfall Territories.

Smart Care

Very Strictly Keep out of Fire.

NOTE : We don't do Barbed Wire with PVC Wire because in our knowledge quality and life of wire is drastically coming down by making Barbed Wire.



CONCERTINA & RAZOR BLADE WIRES



Concertina Wire

Concertina Razor Blade Wires are primarily used for security purposes. The razor sharp blades make it impossible for trespassers, thieves and animals to trespass or scale the protected area.

Variants

As per IS standards and Non IS standards.

Availability of Sizes

450 MM (1.5 ft) Dia | 600 MM (2 ft) Dia | 750 MM (2.5 ft) Dia | 900 MM (3 ft) Dia.

Availability of Models

- 1) Spiral - " 18 " Spiral Length per kg – 2.5 Feet
" 24 " Spiral Length per kg – 2.0 Feet
 - 2) RBT - Single Line Length per Kg – 37 Feet
- Note : All above measurements are approximately measured.

Applications

Military | Border Areas | Industrial and Domestic Purposes.



STARFENCE Power Fencing Wire



ACSR (Aluminium Conductor Steel Reinforced)

STARFENCE Power Fence Wire is used in reinforcement of aluminium conductors in distribution and transmission of electricity. Hence Power Fence wire is used for power fencing as this material is most suitable for electric conductivity. It follows the IS: 398 standards.

Availability of Sizes

2.59 MM | 3.15 MM

Applications

Plantations | Protected Area | Forest | Defence & High Alert Areas | Animal Trespassing & many more.



OUR FIRM LOYAL CUSTOMER


			
			
			
			
 GANNAVARAM AIRPORT			
			
			& Many more...







FOLLOW US ON



STARTM
F | E | N | C | E
Your Rakshana Rekha

Iron Complex, Gollapudi By-Pass Road
Opp. Ramalayam, Vijayawada - 520 012
Tel : Office : 99127 11043 | 98480 55043

Customer Care : 90103 16786
info@karimullagroup.com
www.karimullagroup.com